



**YOUR KEY TO SAFE WIRING**



Certificate Registration  
No. 44 100 18 93 0042

# PRICE LIST

BASE PRICES ONLY, SUBJECT TO PREMIUMS OR DISCOUNTS.



## THHN/THWN-2

Thermoplastic High Heat Resistant Wire/ Thermoplastic Heat and Moisture Resistant Wire w/Nylon Jacket

90°C Dry and Wet Locations, 600 Volts

### AWG #14/7 UP TO 1000MCM

Solid = 1.60mm – 2.60mm

Stranded = 2.0mm<sup>2</sup> – 38mm<sup>2</sup>

50mm<sup>2</sup> - 500.0mm<sup>2</sup>

- Use in conduits, feeders and branch circuits in residential, commercial and industrial applications

- Cable Tray Rated



THHN/THWN-2			
ITEM SIZE	ITEM CODE	PRICE PER METER	PRICE PER 150 METERS
<b>SOLID</b>			
1.6 mm	TN 14/1	7.40	1,110
2.0 mm	TN 12/1	11.10	1,665
2.6 mm	TN 10/1	18.80	2,820
<b>STRANDED</b>			
2.0 mm <sup>2</sup>	TN 14/7	9.00	1,350
3.5 mm <sup>2</sup>	TN 12/7	13.20	1,980
5.5 mm <sup>2</sup>	TN 10/7	20.20	3,030
8.0 mm <sup>2</sup>	TN 8/7	31.60	4,740
14.0 mm <sup>2</sup>	TN 6/7	50.30	7,545
22.0 mm <sup>2</sup>	TN 4/7	79.00	11,850
30.0 mm <sup>2</sup>	TN 2/7	115.10	17,265
<b>STRANDED - BIG SIZES</b>			
ITEM SIZE	ITEM CODE	PRICE PER METER	PRICE PER 300 METERS
38 mm <sup>2</sup>	TN 1/19	167.20	50,160
50 mm <sup>2</sup>	TN 1/0	187.80	56,340
60 mm <sup>2</sup>	TN 2/0	231.10	69,330
80 mm <sup>2</sup>	TN 3/0	286.40	85,920
100 mm <sup>2</sup>	TN 4/0	351.80	105,540
125 mm <sup>2</sup>	TN 250MCM	450.00	135,000
150 mm <sup>2</sup>	TN 300MCM	537.00	161,100
175 mm <sup>2</sup>	TN 350MCM	617.00	185,100
200 mm <sup>2</sup>	TN 400MCM	676.00	202,800
250 mm <sup>2</sup>	TN 500MCM	870.00	261,000
300 mm <sup>2</sup>	TN 600MCM	1,047.00	314,100
325 mm <sup>2</sup>	TN 650MCM	1,103.30	330,990
380 mm <sup>2</sup>	TN 750MCM	1,311.00	393,300
400 mm <sup>2</sup>	TN 800MCM	1,385.00	415,500
500 mm <sup>2</sup>	TN 1000MCM	1,675.00	502,500

MANUFACTURED ACCORDING TO ACCEPTED AND RECOGNIZED STANDARDS BY AN ISO 9001:2015 COMPANY.



Bldg. B, #8001, MacArthur Highway, Brgy. Tuktukan, Guiguinto, Bulacan, Philippines. (Postal Code 3015)  
 Website: [www.hypertechwire.com](http://www.hypertechwire.com)  
 Email address: [support@hypertechwire.com](mailto:support@hypertechwire.com)  
 Central Office Mobile Number: (0063) 917-6900-798  
 Central Office Landline Number: (0063) 44-802-5869



**YOUR KEY TO SAFE WIRING**



Certificate Registration  
No. 44 100 18 93 0042

<b>TW</b>			
ITEM SIZE	ITEM CODE	PRICE PER METER	PRICE PER 150 METERS
<b>SOLID</b>			
1.6 mm	TW 14/1	7.40	1,110
2.0 mm	TW 12/1	11.10	1,665
2.6 mm	TW 10/1	18.80	2,820
<b>STRANDED</b>			
2.0 mm <sup>2</sup>	TW 14/7	9.00	1,350
3.5 mm <sup>2</sup>	TW 12/7	13.20	1,980
5.5 mm <sup>2</sup>	TW 10/7	20.20	3,030
8.0 mm <sup>2</sup>	TW 8/7	31.60	4,740
14.0 mm <sup>2</sup>	TW 6/7	50.30	7,545
22.0 mm <sup>2</sup>	TW 4/7	79.00	11,850
30.0 mm <sup>2</sup>	TW 2/7	115.10	17,265
<b>STRANDED - BIG SIZES</b>			
ITEM SIZE	ITEM CODE	PRICE PER METER	PRICE PER 300 METERS
38 mm <sup>2</sup>	TW 1/19	138.50	41,550
50 mm <sup>2</sup>	TW 1/0	169.50	50,850
60 mm <sup>2</sup>	TW 2/0	213.50	64,050
80 mm <sup>2</sup>	TW 3/0	269.60	80,880
100 mm <sup>2</sup>	TW 4/0	337.60	101,280

<b>THW</b>			
ITEM SIZE	ITEM CODE	PRICE PER METER	PRICE PER 150 METERS
<b>SOLID</b>			
1.6 mm	TH 14/1	10.60	1,590
2.0 mm	TH 12/1	15.60	2,340
2.6 mm	TH 10/1	22.50	3,375
<b>STRANDED</b>			
2.0 mm <sup>2</sup>	TH 14/7	11.50	1,725
3.5 mm <sup>2</sup>	TH 12/7	16.10	2,415
5.5 mm <sup>2</sup>	TH 10/7	23.40	3,510
8.0 mm <sup>2</sup>	TH 8/7	35.80	5,370
14.0 mm <sup>2</sup>	TH 6/7	60.30	9,045
22.0 mm <sup>2</sup>	TH 4/7	93.50	14,025
30.0 mm <sup>2</sup>	TH 2/7	132.40	19,860
<b>STRANDED - BIG SIZES</b>			
ITEM SIZE	ITEM CODE	PRICE PER METER	PRICE PER 300 METERS
38 mm <sup>2</sup>	TH 1/19	167.20	50,160
50 mm <sup>2</sup>	TH 1/0	187.80	56,340
60 mm <sup>2</sup>	TH 2/0	231.10	69,330
80 mm <sup>2</sup>	TH 3/0	286.40	85,920
100 mm <sup>2</sup>	TH 4/0	351.80	105,540
125 mm <sup>2</sup>	TH 250MCM	450.00	135,000
150 mm <sup>2</sup>	TH 300MCM	537.00	161,100
175 mm <sup>2</sup>	TH 350MCM	617.00	185,100
200 mm <sup>2</sup>	TH 400MCM	676.00	202,800
250 mm <sup>2</sup>	TH 500MCM	870.00	261,000
300 mm <sup>2</sup>	TH 600MCM	1,047.00	314,100
325 mm <sup>2</sup>	TH 650MCM	1,103.30	330,990
380 mm <sup>2</sup>	TH 750MCM	1,311.00	393,300
400 mm <sup>2</sup>	TH 800MCM	1,385.00	415,500
500 mm <sup>2</sup>	TH 1000MCM	1,675.00	502,500



**TW** - Thermoplastic Moisture Resistant Wire, 60°C, 600 Volts

**THW** - Thermoplastic Heat and Moisture Resistant Wire, 75°C, 600 Volts

**MANUFACTURED ACCORDING TO ACCEPTED AND RECOGNIZED STANDARDS BY AN ISO 9001:2015 COMPANY.**



Bldg. B, #8001, MacArthur Highway, Brgy. Tuktukan, Guiguinto, Bulacan, Philippines. (Postal Code 3015)  
 Website: [www.hypertechwire.com](http://www.hypertechwire.com)  
 Email address: [support@hypertechwire.com](mailto:support@hypertechwire.com)  
 Central Office Mobile Number: (0063) 917-6900-798  
 Central Office Landline Number: (0063) 44-802-5869



**YOUR KEY TO SAFE WIRING**



Certificate Registration  
No. 44 100 18 93 0042



<b>HYPEX - NM</b>			
ITEM SIZE	ITEM CODE	PRICE PER METER	PRICE PER 75 METERS
1.6 mm/2C	HY 14/2	22.00	1,650.00
2.0 mm/2C	HY 12/2	30.20	2,265.00
2.6 mm/2C	HY 10/2	41.80	3,135.00

**NM wire (HYPEX)**

Non-Metallic Sheathed Wire, 60°C, 600V (Flat Type, 2 conductors)

- Use in exposed or concealed installations in residential, commercial and industrial applications



<b>FLAT CORD - SPT</b>			
ITEM SIZE	ITEM CODE	PRICE PER METER	PRICE PER 150 METERS
0.30 mm <sup>2</sup>	SPT 22	5.40	810.00
0.50 mm <sup>2</sup>	SPT 20	7.60	1,140.00
0.75 mm <sup>2</sup>	SPT 18	9.70	1,455.00
1.25 mm <sup>2</sup>	SPT 16	15.50	2,325.00
2.00 mm <sup>2</sup>	SPT 14	28.40	4,260.00
3.50 mm <sup>2</sup>	SPT 12	43.00	6,450.00

**FLAT CORDS - SPT-1 / SPT-2 / SPT-3**

Flat Cords (Parallel Cords) or Service Parallel Thermoplastic (SPT), 60°C, 300V

- Use as extension cords applicable to household appliances and other light duty services wherein high flexibility is required



**Automotive Wire**

PVC Insulated Automotive Wire Heat Resistant, 50 Vdc, 105°C

- Use for general purpose wiring such as lights, signals, starters for road vehicles

<b>AUTO WIRE - PVC</b>			
ITEM SIZE	ITEM CODE	PRICE PER METER	PRICE PER 30 METERS
0.75 mm <sup>2</sup>	AV 18	7.50	225.00
1.25 mm <sup>2</sup>	AV 16	9.00	270.00
2.00 mm <sup>2</sup>	AV 14	11.20	336.00
3.50 mm <sup>2</sup>	AV 12	15.70	471.00
5.50 mm <sup>2</sup>	AV 10	23.80	714.00
8.00 mm <sup>2</sup>	AV 8	37.30	1,119.00

**MANUFACTURED ACCORDING TO ACCEPTED AND RECOGNIZED STANDARDS BY AN ISO 9001:2015 COMPANY.**



Bldg. B, #8001, MacArthur Highway, Brgy. Tuktukan, Guiguinto, Bulacan, Philippines. (Postal Code 3015)  
Website: [www.hypertechwire.com](http://www.hypertechwire.com)  
Email address: [support@hypertechwire.com](mailto:support@hypertechwire.com)  
Central Office Mobile Number: (0063) 917-6900-798  
Central Office Landline Number: (0063) 44-802-5869



**YOUR KEY TO SAFE WIRING**



Certificate Registration  
No. 44 100 18 93 0042

## HYPERCORD SJT/ST

ITEM SIZE	ITEM CODE	PRICE PER METER	PRICE PER 75 METERS
<b>TWO CORES</b>			
0.75 mm <sup>2</sup> /2C	HC 18/2	24.80	1,860.00
1.25 mm <sup>2</sup> /2C	HC 16/2	28.40	2,130.00
2.00 mm <sup>2</sup> /2C	HC 14/2	45.70	3,427.50
3.50 mm <sup>2</sup> /2C	HC 12/2	64.20	4,815.00
<b>THREE CORES</b>			
0.75 mm <sup>2</sup> /3C	HC 18/3	28.10	2,107.50
1.25 mm <sup>2</sup> /3C	HC 16/3	34.10	2,557.50
2.00 mm <sup>2</sup> /3C	HC 14/3	56.30	4,222.50
3.50 mm <sup>2</sup> /3C	HC 12/3	82.20	6,165.00



### SJT/ ST (HYPERCORD)

Royal Cords (Flexible Round Cords – Heavy Duty)

Maximum temperature of 60°C

For SJT, the rated voltage is 300 Volts.

For ST, the rated voltage is 600 Volts.

- Use in light, medium and heavy-duty power supply to appliances, tools, motors and, temporary electrical power and, lighting installations wherein high flexibility is required

## TF WIRE

ITEM SIZE	ITEM CODE	PRICE PER METER	PRICE PER 150 METERS
<b>SOLID</b>			
0.50 mm	TF 24	1.95	292.50
0.65 mm	TF 22	2.30	345.00
0.80 mm	TF 20	2.65	397.50
1.00 mm	TF 18	4.20	630.00
1.20 mm	TF 16	5.95	892.50
0.65 mm/2C	TF 22/2	4.90	735.00
1.00 mm/2C	TF 18/2	9.10	1,365.00
1.20 mm/2C	TF 16/2	12.40	1,860.00
0.65 mm/3C	TF 22/3	7.55	1,132.50
1.00 mm/3C	TF 18/3	13.00	1,950.00
1.20 mm/3C	TF 16/3	22.10	3,315.00
<b>STRANDED</b>			
0.30 mm <sup>2</sup>	TF 22X	2.65	397.50
0.50 mm <sup>2</sup>	TF 20X	4.05	607.50
0.75 mm <sup>2</sup>	TF 18X	4.75	712.50
1.25 mm <sup>2</sup>	TF 16X	6.65	997.50
0.30 mm <sup>2</sup> /2C	TF 22X2	5.10	765.00
0.75 mm <sup>2</sup> /2C	TF 18X2	9.80	1,470.00
1.25 mm <sup>2</sup> /2C	TF 16X2	13.30	1,995.00
0.75 mm <sup>2</sup> /3C	TF 18X3	14.55	2,182.50
1.25 mm <sup>2</sup> /3C	TF 16X3	23.45	3,517.50

### TF Wire

Thermoplastic Fixture Wire/ Twisted Wire

Maximum temperature of 60°C, designed to operate up to 600 Volts.

- Use in general purpose appliance wiring, doorbell, lighting fixtures, electronic equipment and the likes

**MANUFACTURED ACCORDING TO ACCEPTED AND RECOGNIZED STANDARDS BY AN ISO 9001:2015 COMPANY.**



Bldg. B, #8001, MacArthur Highway, Brgy. Tuktukan, Guiguinto, Bulacan, Philippines. (Postal Code 3015)  
Website: [www.hypertechwire.com](http://www.hypertechwire.com)  
Email address: [support@hypertechwire.com](mailto:support@hypertechwire.com)  
Central Office Mobile Number: (0063) 917-6900-798  
Central Office Landline Number: (0063) 44-802-5869

## MAGNET WIRE - HEAVY

ITEM SIZE	ITEM CODE (AWG#)	KGS. PER KILOMETER	PRICE PER KILOGRAM
1.80	HMW 13	23.710	383.2
1.60	HMW 14	18.820	384.1
1.40	HMW 15	14.960	384.4
1.20	HMW 16	11.880	385.9
1.10	HMW 17	9.440	387.6
1.00	HMW 18	7.520	390.2
0.90	HMW 19	5.980	392.0
0.80	HMW 20	4.750	392.7
0.70	HMW 21	3.780	399.9
0.65	HMW 22	3.000	406.1
0.55	HMW 23	2.400	410.4
0.50	HMW 24	1.910	415.4




### Magnet Wire - HPEW

Heavy Polyester Enameled Wire, 155°C

- Use in windings of electrical machines, motors, transformers, dynamo, ballast and other electrical equipment

## BARE COPPER

ITEM SIZE	ITEM CODE	PRICE PER METER	PRICE PER 300 METERS
<b>SOLID</b>			
1.6 mm	BC 14/1	5.90	1,770
2.0 mm	BC 12/1	9.00	2,700
2.6 mm	BC 10/1	14.50	4,350
<b>STRANDED</b>			
2.0 mm <sup>2</sup>	BC 14/7	6.70	2,010
3.5 mm <sup>2</sup>	BC 12/7	11.25	3,375
5.5 mm <sup>2</sup>	BC 10/7	18.10	5,430
8.0 mm <sup>2</sup>	BC 8/7	26.20	7,860
14.0 mm <sup>2</sup>	BC 6/7	39.20	11,760
22.0 mm <sup>2</sup>	BC 4/7	61.90	18,570
30.0 mm <sup>2</sup>	BC 2/7	98.20	29,460
<b>STRANDED - BIG SIZES</b>			
38 mm <sup>2</sup>	BC 1/19	124.70	37,410
50 mm <sup>2</sup>	BC 1/0	154.90	46,470
60 mm <sup>2</sup>	BC 2/0	194.90	58,470
80 mm <sup>2</sup>	BC 3/0	246.20	73,860
100 mm <sup>2</sup>	BC 4/0	308.10	92,430
125 mm <sup>2</sup>	BC 250MCM	364.00	109,200
150 mm <sup>2</sup>	BC 300MCM	445.30	133,590
200 mm <sup>2</sup>	BC 400MCM	582.90	174,870
250 mm <sup>2</sup>	BC 500MCM	728.20	218,460
325 mm <sup>2</sup>	BC 650MCM	966.80	290,040
400 mm <sup>2</sup>	BC 800MCM	1151.30	345,390
500 mm <sup>2</sup>	BC 1000MCM	1460.00	438,000



**Customized or OEM Bulk Orders are Accepted.**

**MANUFACTURED ACCORDING TO ACCEPTED AND RECOGNIZED STANDARDS BY AN ISO 9001:2015 COMPANY.**